





便捷式
储能电源

PORTABLE
POWER STATION





HY299

便捷式储能电源 portable power station

型号：HY299
 名称：便携储能电源 认证：CE,FCC,PSE,ROHS
 重量：3.8KG
 尺寸：200*142*146mm

产品参数
 电池功率：307.84Wh
 电池总容量：83200mAh 电池电压：14.8V
 适配器充电：19V5A约4h
 车载充电：12-15V/8A约4h
 太阳能充电：18-24V/100W约4h
 USB1(2)：5V2.4A
 USB3：QC3.0 5-12V 18W(Max)
 TYPE-C PD：5-20V 60W(Max)
 点烟器输出：12V10A DCφ5.5：12V5A
 显示屏：LED显示屏
 电池保护：BMS实时保护 LED
 照明：5W(MAX),SOS,爆闪



- Intelligent monitoring**
 インテリジェント監視
 Real-time monitoring of product performance.
- Battery balance system**
 電池バランスシステム
 Extend the service life of batteries and ensure the consistency of batteries.
- Temperature protection**
 温度保護
 Guarantee Battery Working at Safe Temperature.
- Overcharge protection**
 過充電保護
 Prevent battery from overcharging and auto-stop when fully charged.
- Short-circuit protection**
 短路保護
 Auto-cut circuit when short occurs.
- Over-current protection**
 過電流保護
 Auto-cut circuit when overcurrent occurs.
- Over-voltage protection**
 過電圧保護
 Protect product from high or low voltage harm to ensure product and facilities safe.
- Overpower protection**
 過負荷保護
 Product has dynamic power protection which will auto-stop output when overpower occurs.



HY500

便捷式储能电源 portable power station


型号：HY500


名称：便携式储能电源
 认证：CE, FCC, PSE, ROHS
 重量：5.9KG
 尺寸：200*176*146mm


产品参数


电池功率：500.24Wh
 电池总容量：
 135200mAh 电池电压：
 14.8V
 适配器充电：19V5A约6h
 车载充电：12-15V/8A约
 6h
 太阳能充电：18-24V/100W约
 6h USB1(2): 5V2.4A
 USB3: QC3.0 5-12V
 18W(Max) TYPE-C PD: 5-20V
 60W(Max)
 点烟器输出：
 12V10A DCφ5.5：
 12V5A
 显示屏：LED显示屏
 电池保护：BMS实时保护 LED
 照明：5W(MAX), SOS, 爆闪





- 


Intelligent monitoring
 インテリジェント監視
 Real-time monitoring of product performance.
- 


Battery balance system
 電池バランスシステム
 Extend the service life of batteries and ensure the consistency of batteries.
- 

Temperature protection
 温度保護
 Guarantee Battery Working at Safe Temperature.
- 

Overcharge protection
 過充電保護
 Prevent battery from overcharging and auto-stop when fully charged.
- 

Short-circuit protection
 短路保護
 Auto-cut circuit when short occurs.
- 

Over-current protection
 過電流保護
 Auto-cut circuit when overcurrent occurs.
- 

Over-voltage protection
 過電圧保護
 Protect product from high or low voltage harm to ensure product and facilities safe.
- 

Overpower protection
 過負荷保護
 Product has dynamic power protection which will auto-stop output when overpower occurs.



HY1000

便捷式储能电源
portable power station

型号：HY1000

名称：便携式储能电源 认证：CE,FCC,PSE,ROHS

重量：9.9KG

尺寸：200*294*146mm

产品参数

电池功率：1038.96Wh

电池总容量：

280800mAh 电池电压：

14.8V

适配器充电：22V/5A约12h

车载充电：12-15V/8A约12h

太阳能充电：18-24V/100W约

12h USB1(2): 5V2.4A

USB3: QC3.0 5-12V

18W(Max) TYPE-C PD: 5-20V

60W(Max)

点烟器输出：

12V10A DCφ5.5：

12V5A

显示屏：LED显示屏

电池保护：BMS实时保护 LED

照明：5W(MAX),SOS,爆闪



Intelligent monitoring
インテリジェント監視
Real-time monitoring of product performance.



Battery balance system
電池バランスシステム
Extend the service life of batteries and ensure the consistency of batteries.



Temperature protection
温度保護
Guarantee Battery Working at Safe Temperature.



Overcharge protection
過充電保護
Prevent battery from overcharging and auto-stop when fully charged.



Short-circuit protection
短路保護
Auto-cut circuit when short occurs.



Over-current protection
過電流保護
Auto-cut circuit when overcurrent occurs.



Over-voltage protection
過電圧保護
Protect product from high or low voltage harm to ensure product and facilities safe.



Overpower protection
過負荷保護
Product has dynamic power protection which will auto-stop output when overpower occurs.



HY550

便捷式储能电源
portable power station

型号：HY550

名称：便携式储能电源 认证：CE,FCC,PSE,ROHS

重量：6.8KG

尺寸：192*218*192mm

产品参数

电池功率：500.24Wh

电池总容量：

135200mAh 电池电压：

14.8V

适配器充电：22V5A约6h

车载充电：12-15V/8A约6h

太阳能充电：18-24V/100W约

6h USB1(2): 5V2.4A

USB3: QC3.0 5-12V

18W(Max) TYPE-C PD: 5-20V

60W(Max)

点烟器输出：

12V10A DCφ5.5：

12V5A

显示屏：LED显示屏

电池保护：BMS实时保护 LED

照明：5W(MAX),SOS,爆闪



Intelligent monitoring

インテリジェント監視
Real-time monitoring of
product performance.



Battery balance system

電池バランスシステム
Extend the service life of batteries
and ensure the consistency of
batteries.



Temperature protection

温度保護
Guarantee Battery Working
at Safe Temperature.



Overcharge protection

過充電保護
Prevent battery from overcharging
and auto-stop when fully charged.



Short-circuit protection

短路保護
Auto-cut circuit when
short occurs.



Over-current protection

過電流保護
Auto-cut circuit when
overcurrent occurs.



Over-voltage protection

過電圧保護
Protect product from high or
low voltage harm to ensure
product and facilities safe.



Overpower protection

過負荷保護
Product has dynamic power protection
which will auto-stop output when
overpower occurs.



HY1100

便捷式储能电源
portable power station

型号：HY1100

名称：便携式储能电源
认证：CE, FCC, PSE, ROHS
重量：11.0KG
尺寸：192*303*192mm

产品参数

电池功率：1038.96Wh
 电池总容量：
 280800mAh 电池电压：
 14.8V
 适配器充电：22V5A约13h
 车载充电：12-15V/8A约
 13h
 太阳能充电：18-24V100W约
 13h USB1(2): 5V2.4A
 USB3: QC3.0 5-12V
 18W(Max) TYPE-C PD : 5-20V
 60W(Max)
 点烟器输出：
 12V10A DCφ5.5：
 12V5A
 显示屏：LED显示屏
 电池保护：BMS实时保护 LED
 照明：5W(MAX), SOS, 爆闪



Intelligent monitoring
インテリジェント監視
Real-time monitoring of product performance.



Battery balance system
電池バランスシステム
Extend the service life of batteries and ensure the consistency of batteries.



Temperature protection
温度保護
Guarantee Battery Working at Safe Temperature.



Overcharge protection
過充電保護
Prevent battery from overcharging and auto-stop when fully charged.



Short-circuit protection
短路保護
Auto-cut circuit when short occurs.



Over-current protection
過電流保護
Auto-cut circuit when overcurrent occurs.



Over-voltage protection
過電圧保護
Protect product from high or low voltage harm to ensure product and facilities safe.



Overpower protection
過負荷保護
Product has dynamic power protection which will auto-stop output when overpower occurs.



HYW500

便捷式储能电源
portable power station

型号：HYW500

名称：便捷式储能电源
认证：CE, FCC, PSE, ROHS
重量：6.5KG
尺寸：210*226*150mm

产品参数

电池功率：500Wh
 电池总容量：135200mAh 电池电压：14.8V
 适配器充电：22V5A约6h
 车载充电：12-15V/8A约6h
 太阳能充电：18-24V/100W约6h
 USB1(2): 5V2.4A
 USB3(4): QC3.0 5-12V
 18W(Max) TYPE-C PD: 5-20V
 60W(Max)
 点烟器输出：
 12V10A DCφ5.5：
 12V5A
 显示屏：LED显示屏
 电池保护：BMS实时保护 LED
 照明：5W(MAX), SOS, 爆闪



Intelligent monitoring
インテリジェント監視
Real-time monitoring of product performance.



Battery balance system
電池バランスシステム
Extend the service life of batteries and ensure the consistency of batteries.



Temperature protection
温度保護
Guarantee Battery Working at Safe Temperature.



Overcharge protection
過充電保護
Prevent battery from overcharging and auto-stop when fully charged.



Short-circuit protection
短路保護
Auto-cut circuit when short occurs.



Over-current protection
過電流保護
Auto-cut circuit when overcurrent occurs.



Over-voltage protection
過電圧保護
Protect product from high or low voltage harm to ensure product and facilities safe.



Overpower protection
過負荷保護
Product has dynamic power protection which will auto-stop output when overpower occurs.



HYW700

便捷式储能电源
portable power station

型号：HYW700

名称：便捷式储能电源

认证：CE, FCC, PSE, ROHS

重量：7.3KG

尺寸：210*226*150mm

产品参数

电池功率：734.08Wh

电池总容量：

198400mAh 电池电压：

14.8V

适配器充电：22V5A约9h

车载充电：12-15V/8A约9h

太阳能充电：18-24V/100W约9h

USB1(2): 5V2.4A

USB3(4): QC3.0 5-12V

18W(Max) TYPE-C PD: 5-20V

60W(Max)

点烟器输出：

12V10A DCφ5.5:

12V5A

显示屏：LED显示屏

电池保护：BMS实时保护 LED

照明：5W(MAX), SOS, 爆闪



 **Intelligent monitoring**
インテリジェント監視
Real-time monitoring of product performance.

 **Battery balance system**
電池バランスシステム
Extend the service life of batteries and ensure the consistency of batteries.

 **Temperature protection**
温度保護
Guarantee Battery Working at Safe Temperature.

 **Overcharge protection**
過充電保護
Prevent battery from overcharging and auto-stop when fully charged.

 **Short-circuit protection**
短路保護
Auto-cut circuit when short occurs.

 **Over-current protection**
過電流保護
Auto-cut circuit when overcurrent occurs.

 **Over-voltage protection**
過電圧保護
Protect product from high or low voltage harm to ensure product and facilities safe.

 **Overpower protection**
過負荷保護
Product has dynamic power protection which will auto-stop output when overpower occurs.



HYW1000

便捷式储能电源
portable power station

型号：HYW1000

名称：便捷式储能电源
认证：CE, FCC, PSE, ROHS
重量：9.9KG
尺寸：210*290*150mm

产品参数

电池功率：1038.96Wh
 电池总容量：280800mAh 电池电压：14.8V
 适配器充电：22V5A约12h
 车载充电：12-15V/8A约12h
 太阳能充电：18-24V/100W约12h
 USB1(2)：5V2.4A
 USB3(4)：QC3.0 5-12V 18W(Max) TYPE-C PD：5-20V 60W(Max)
 点烟器输出：12V10A DCφ5.5：12V5A
 显示屏：LED显示屏
 电池保护：BMS实时保护 LED
 照明：5W(MAX), SOS, 爆闪



Intelligent monitoring
インテリジェント監視
Real-time monitoring of product performance.



Battery balance system
電池バランスシステム
Extend the service life of batteries and ensure the consistency of batteries.



Temperature protection
温度保護
Guarantee Battery Working at Safe Temperature.



Overcharge protection
過充電保護
Prevent battery from overcharging and auto-stop when fully charged.



Short-circuit protection
短路保護
Auto-cut circuit when short occurs.



Over-current protection
過電流保護
Auto-cut circuit when overcurrent occurs.



Over-voltage protection
過電圧保護
Protect product from high or low voltage harm to ensure product and facilities safe.



Overpower protection
過負荷保護
Product has dynamic power protection which will auto-stop output when overpower occurs.



HYW1200

便捷式储能电源
portable power station

型号：HYW1200
名称：便携式储能电源
认证：CE
重量：9.9KG
尺寸：210*290*150mm

产品参数

电池功率：1200Wh
电池总容量：270000mAh 电池电压：14.8V
适配器充电：19V5A约12h
车载充电：13V8A约12h
太阳能充电：18V100W约15h
USB1(2)：5V2.4A
USB3(4)：QC3.0 5-12V 18W(Max) TYPE-C PD：5-20V 45W(Max)
点烟器输出：12V10A DCφ5.5：12V5A
显示屏：VFD高清高亮荧光屏
电池保护：BMS实时保护
LED照明：10W



Intelligent monitoring
インテリジェント監視
Real-time monitoring of product performance.



Battery balance system
電池バランスシステム
Extend the service life of batteries and ensure the consistency of batteries.



Temperature protection
温度保護
Guarantee Battery Working at Safe Temperature.



Overcharge protection
過充電保護
Prevent battery from overcharging and auto-stop when fully charged.



Short-circuit protection
短路保護
Auto-cut circuit when short occurs.



Over-current protection
過電流保護
Auto-cut circuit when overcurrent occurs.



Over-voltage protection
過電圧保護
Protect product from high or low voltage harm to ensure product and facilities safe.



Overpower protection
過負荷保護
Product has dynamic power protection which will auto-stop output when overpower occurs.



HY551

便捷式储能电源

portable power station

型号：HY551
 名称：便携式储能电源
 认证：CE
 重量：6.9KG
 尺寸：192*218*192mm

产品参数
 电池功率：551Wh
 电池总容量：
 148800mAh 电池电压：
 14.8V
 适配器充电：22V5A约
 6h 车载充电：14V8A约
 6h
 太阳能充电：18V110W约
 10h USB1(2)：(5-
 12V)22.5W TYPE-C PD：
 (5-20V)3A 60W TYPE-C PD：
 (5-15V)3A 45W
 点烟器输出：
 12V10A DCφ5.5：
 12V5A
 显示屏：VFD高清高亮荧光屏
 电池保护：BMS实时保护
 LED照明：5W



Intelligent monitoring
 インテリジェント監視
 Real-time monitoring of
 product performance.



Battery balance system
 電池バランスシステム
 Extend the service life of batteries
 and ensure the consistency of
 batteries.



Temperature protection
 温度保護
 Guarantee Battery Working
 at Safe Temperature.



Overcharge protection
 過充電保護
 Prevent battery from overcharging
 and auto-stop when fully charged.



Short-circuit protection
 短路保護
 Auto-cut circuit when
 short occurs.



Over-current protection
 過電流保護
 Auto-cut circuit when
 overcurrent occurs.



Over-voltage protection
 過電圧保護
 Protect product from high or
 low voltage harm to ensure
 product and facilities safe.



Overpower protection
 過負荷保護
 Product has dynamic power protection
 which will auto-stop output when
 overpower occurs.











HY1101

便捷式储能电源
portable power station

型号：HY1101
名称：便携式储能电源
认证：CE
重量：11.8KG
尺寸：192*303*192mm

产品参数
电池功率：1101Wh
电池总容量：
297600mAh 电池电压：
14.8V
适配器充电：22V5A约
13h 车载充电：14V8A
约13h
太阳能充电：18V110W约
17h USB1(2)：(5-
12V)22.5W TYPE-C PD：
(5-20V)3A 60W TYPE-C PD
：(5-15V)3A 45W
点烟器输出：
12V10A DCφ5.5：
12V5A
显示屏：VFD高清高亮荧光屏
电池保护：BMS实时保护
LED照明：5W



- 
Intelligent monitoring
インテリジェント監視
Real-time monitoring of product performance.
- 
Battery balance system
電池バランスシステム
Extend the service life of batteries and ensure the consistency of batteries.
- 
Temperature protection
温度保護
Guarantee Battery Working at Safe Temperature.
- 
Overcharge protection
過充電保護
Prevent battery from overcharging and auto-stop when fully charged.
- 
Short-circuit protection
短路保護
Auto-cut circuit when short occurs.
- 
Over-current protection
過電流保護
Auto-cut circuit when overcurrent occurs.
- 
Over-voltage protection
過電圧保護
Protect product from high or low voltage harm to ensure product and facilities safe.
- 
Overpower protection
過負荷保護
Product has dynamic power protection which will auto-stop output when overpower occurs.

危険
● 足火・発熱・過熱・過電・けがの原因になるので、
● ショート・分断・改造をしない。
● 水中投入・高温での使用・放電をしない。
● 身体に触れた状態で充電・給電をしない。



太阳能板

SOLAR PANELS

HYS21

便捷式太阳能板 portable power station

在太阳光照射下为手机、平板电脑、移动电源、PSP、MP4、GPS、蓝牙耳机等电子设备充电；为汽车启动电源、笔记本移动电源、应急储能电源等12V~18V电子设备充电。

Charge the mobile phone, tablet computer, mobile power supply, PSP, MP4, GPS, Bluetooth headset and other electronic devices under sunlight; For the car starting power, pen Charge 12V ~ 18V electronic equipment such as notebook mobile power supply and emergency energy storage power supply.

额定功率	21W
太阳能电池	单晶硅
转化率	> 22%
开路电压	15.8V
短路电流	4.8A
输出电流	1.16A/2.4A Max
输出电压	18V+5V DHYI USB
材质	600D聚酯
面板数量	3
展开尺寸	816*295*15mm
折叠尺寸	290*195*34mm
单个重量	0.85KG
包装盒尺寸	315*220*45mm
装箱数量	10pcs



HYS30

便捷式太阳能板 portable power station

在太阳光照射下为手机、平板电脑、移动电源、PSP、MP4、GPS、蓝牙耳机等电子设备充电；为汽车启动电源、笔记本移动电源、应急储能电源等12V~18V电子设备充电。

Charge the mobile phone, tablet computer, mobile power supply, PSP, MP4, GPS, Bluetooth headset and other electronic devices under sunlight; For the car starting power, pen Charge 12V ~ 18V electronic equipment such as notebook mobile power supply and emergency energy storage power supply.

额定功率	21W
太阳能电池	单晶硅
转化率	> 22%
开路电压	15.8V
短路电流	4.8A
输出电流	1.16A/2.4A Max
输出电压	18V+5V DHYI USB
材质	PET+1200D
面板数量	3
展开尺寸	816*295*15mm
折叠尺寸	290*195*34mm
单个重量	0.85KG
包装盒尺寸	315*220*45mm
装箱数量	10pcs



HYS60

便捷式太阳能板 portable power station

在太阳光照射下为手机、平板电脑、移动电源、PSP、MP4、GPS、蓝牙耳机等电子设备充电；为汽车启动电源、笔记本移动电源、应急储能电源等12V~18V电子设备充电。

Charge the mobile phone, tablet computer, mobile power supply, PSP, MP4, GPS, Bluetooth headset and other electronic devices under sunlight; For the car starting power, pen Charge 12V ~ 18V electronic equipment such as notebook mobile power supply and emergency energy storage power supply.

额定功率	60W
太阳能电池	单晶硅
转化率	> 22%
开路电压	15.8V
短路电流	4.8A
输出电流	2.78A最大
输出电压	MC418V+PD60W
袋料	PET+1200D
面板数量	3
展开尺寸	405*1277mm
折叠尺寸	405*350mm
单个重量	2.6KG
包装盒尺寸	380*380*60mm
装箱数量	5pcs



HYS120

便捷式太阳能板 portable power station

在太阳光照射下为手机、平板电脑、移动电源、PSP、MP4、GPS、蓝牙耳机等电子设备充电；为汽车启动电源、笔记本移动电源、应急储能电源等12V~18V电子设备充电。

Charge the mobile phone, tablet computer, mobile power supply, PSP, MP4, GPS, Bluetooth headset and other electronic devices under sunlight; For the car starting power, pen Charge 12V ~ 18V electronic equipment such as notebook mobile power supply and emergency energy storage power supply.

额定功率	120W
太阳能电池	单晶硅
转化率	> 22%
开路电压	15.8V
短路电流	4.8A
输出电流	6.67A Max
输出电压	MC418V+PD60W
材质	PET+1200D
面板数量	4
展开尺寸	1685*520mm
折叠尺寸	520*360mm
单个重量	5.2KG
包装盒尺寸	530*370*55mm
装箱数量	3pcs



HYS250

便捷式太阳能板 portable power station

在太阳光照射下为手机、平板电脑、移动电源、PSP、MP4、GPS、蓝牙耳机等电子设备充电；为汽车启动电源、笔记本移动电源、应急储能电源等12V~18V电子设备充电。

Charge the mobile phone, tablet computer, mobile power supply, PSP, MP4, GPS, Bluetooth headset and other electronic devices under sunlight; For the car starting power, pen Charge 12V ~ 18V electronic equipment such as notebook mobile power supply and emergency energy storage power supply.

额定功率	250W
太阳能电池	单晶硅
转化率	> 22%
开路电压	15.8V
短路电流	4.8A
输出电流	10.4A Max
输出电压	MC4 24V+PD60W
材质	PET+1200D
面板数量	5
展开尺寸	2997*565mm
折叠尺寸	565*530mm
单个重量	10.8KG
包装盒尺寸	610*530*75mm
装箱数量	1pcs

